


JUWEL®

Aquariums & Accessories

Valid from 2026



www.juwel-aquarium.com



JUWEL Aquarium


Aquariums of the highest quality from Germany

For 60 years, JUWEL Aquarium has stood for quality and innovation in aquarium manufacturing, setting standards in design and technology. From the very beginning, the system concept has been at the forefront.

We therefore developed the technology required for the successful operation of an aquarium from early on and our first brand was able to offer a range of aquariums with components that are all perfectly compatible with each other.

We have remained true to this principle, so that today, JUWEL Aquarium is synonymous with high-quality system aquariums, ultra-modern technology and the highest quality standards.

To this day, an experienced team is constantly working with great enthusiasm to create a beautiful home for your fish. This performance has made us the brand of the century as well as Europe's no. 1 aquarium brand.



Precision and the latest manufacturing technology in all production steps

60 JUWEL®
Years



New
Vio Cube


Vio Cube 80



Vio Cube 54

Vio Cube 80

→ from Winter 2026



Lighting

NovoLux LED 40 Neo

Filter Type


BioFlow S

Filter Performance

300 l/h, 4,4 W

Adjustable Heater

50 Watt



Lighting

NovoLux LED 50 Neo

Filter Type

BioFlow S

Filter Performance

300 l/h, 4,4 W

Adjustable Heater

50 Watt



Black



White

Vio Cube 54






Rio 180



Rio 125




Lighting
MultiLux 80

Filter Type
Bioflow M

Filter Performance
500 l/h, 5,5 Watt

Adjustable Heater
100 Watt

Rio 180




Lighting
MultiLux 100

Filter Type
Bioflow M

Filter Performance
600 l/h, 7 Watt

Adjustable Heater
200 Watt

Rio 240



Lighting
MultiLux 120

Filter Type
Bioflow M

Filter Performance
600 l/h, 7 Watt

Adjustable Heater
200 Watt



Black



Grey



White




Light wood



Rio 290



Rio 290




Lighting
MultiLux 100

Filter Type
Bioflow L

Filter Performance
1000 l/h, 8 Watt

Adjustable Heater
300 Watt

Rio 350




Lighting
MultiLux 120

Filter Type
Bioflow L

Filter Performance
1000 l/h, 8 Watt

Adjustable Heater
300 Watt

Rio 450



Lighting
MultiLux 150

Filter Type
Bioflow XL

Filter Performance
1000 l/h, 8 Watt

Adjustable Heater
300 Watt



Black



Grey



White




Light wood



Lido 200



Lido 120



Lighting

MultiLux 60

Filter Type

Bioflow M


Filter Performance

500 l/h, 5,5 Watt

Adjustable Heater

100 Watt

Lido 200



Lighting

MultiLux 70

Filter Type

Bioflow M

Filter Performance

600 l/h, 7 Watt

Adjustable Heater

200 Watt



Black



Grey



White



Light wood

Lido 200






Vision 450



Vision 180



Lighting

MultiLux 92

Filter Type

Bioflow M


Filter Performance

600 l/h, 7 Watt

Adjustable Heater

200 Watt

Vision 260



Lighting

MultiLux 120

Filter Type

Bioflow L


Filter Performance

1000 l/h, 8 Watt

Adjustable Heater

300 Watt

Vision 450



Lighting

MultiLux 150

Filter Type

Bioflow XL

Filter Performance

1000 l/h, 8 Watt

Adjustable Heater

300 Watt



Black



White




Light wood



Trigon 190



Trigon 190



Lighting

MultiLux 70

Filter Type

Bioflow M


Filter Performance

600 l/h, 7 Watt

Adjustable Heater

200 Watt

Trigon 350



Lighting

MultiLux 55 & 100

Filter Type

Bioflow XL

Filter Performance

1000 l/h, 8 Watt

Adjustable Heater

300 Watt



Black



White



Light wood

Trigon 190






Primo 70 2.0



Primo 70 2.0



Lighting

NovoLux LED Neo 60, 8 Watt

Filter Type

Bioflow S

Filter Performance

300 l/h, 4,4 Watt

Adjustable Heater

50 Watt

Primo 110 2.0



Lighting

NovoLux LED Neo 80, 11 Watt

Filter Type

Bioflow S

Filter Performance

500 l/h, 5,5 Watt

Adjustable Heater

100 Watt



Black




White

Primo 70




Rio Line

125




ca. 125 l

180



ca. 180 l


240



ca. 240 l


Rio Top Line

290




ca. 290 l

350



ca. 350 l

450



ca. 450 l

Vision Line


180




260




450



ca. 180 l




ca. 260 l



ca. 450 l


Lido Line

120



ca. 120 l


200



ca. 200 l


Trigon Line

190



ca. 190 l

350



ca. 350 l

The heart of a JUWEL aquarium

The BioFlow filtration system



Ecoflow

Circulating pump


Highly-efficient, replaceable and whisper-quiet flow pump of the new EccoFlow generation with double-mounted impeller axle.



AquaHeat Pro

Adjustable heater

Invisible adjustable heater that is integrated in the water circuit.



1. Filter phase



High flow velocity

In the top section of the filter system, the increased flow velocity ensures ideal mechanical and chemical filtering of your aquarium.

2. Filter phase




Low flow velocity

The reduced flow velocity in the bottom section of the filter system benefits the development of bacteria in the anaerobic area, which are essential for the biological filtering of an aquarium.

Filter System Sizes



Bioflow S



Bioflow M




Bioflow L



Bioflow XL


Multiple types of filter media included

Perfectly coordinated filter media guarantee optimum filtering.




BioPad

Filter wadding




BioCarb

Active charcoal sponge




Nitrox

Nitrate remover



BioPlus Coarse

Coarse-pored filter sponge



BioPlus Fine

Fine-pored filter sponge

Optional



Amorax

Ammonium remover



Carbax

Highly effective active charcoal



Cirax

Ceramic granules



Phorax

Phosphate remover


MultiLux LED

The new standard

Aquariums with state-of-the-art LED lighting




Replaceable
LED tubes



Optimum light spectrum
for plants and fish



Energy saving



Including Lighting media



LED Day – 9000 K

High-performance LED tubes with bright, stimulating light for your MultiLux LED light unit.



LED Nature – 6500 K

High-performance LED tube with warm, natural light for your MultiLux LED light unit.





Optional



LED Colour – 4425 K


High-performance LED tube with warm, reddish light for your MultiLux LED light unit.

* Not compatible with T5 light units



The smart system for JUWEL aquariums

Smartly connected, perfectly coordinated: Comfort and intelligent automation for your aquarium.



Everything works perfectly together and is controlled via the MyJUWEL app.



HeliaLux AppControl


Control of the HeliaLux Spectrum



Daily routines & cloud effects



Full WRGB colour control



Predefined biotope profiles



SmartFeed AppControl

Smart automatic feeder



Food quantity adjustable in 8 levels



Any number of feedings per day



Notification when filling level is low



EccoFlow AppControl

New

Smart pump for flexible control



Dynamic Power Adjustment for constant flow



Continuously adjustable pump performance from 420 – 1270 l/h




Temperature monitoring

EcoFlow AppControl


→ from Autumn 2026

Smart pump for flexible control

- Dynamic Power Adjustment for constant flow
- Continuously adjustable pump performance from 420 – 1270 l/h
- Push notifications in case of critical system conditions
- Smart temperature monitoring for maximum safety



My
JUWEL
Made for
MyJUWEL
App



New



AquaClean 2.0

- Ideal for cleaning JUWEL filters and ground material
- Including an adapter for cleaning the JUWEL internal filter
- Simple, repeated squeezing of the pump activates the water flow immediately

EccoSkim

Surface skimmer

- Conveys surface residues directly to the JUWEL filter
- Removes residue film and organic residues
- Promotes oxygen content
- Suitable for all aquariums thanks to the provided suction attachment



FilterGrid

Fine-mesh intake slot

- Reduces the entry of tiny Shrimp and fish into the JUWEL BioFlow Filter
- Reduces the size of the top and lateral intake slots
- Does not reduce the flow rate
- Works with BioFlow Filters S, M, L and XL

New
Generation



HeliaLux Spectrum 2.0

→ from Autumn 2026

Latest generation

- The new generation of HeliaLux full-spectrum LED lighting with optimised light output
- Specially tuned white, blue, green and red LEDs ensure vivid colours and ideal conditions for healthy plant growth



HeliaLux AppControl



For controlling HeliaLux light units using the MyJUWEL app

- Colours individually controllable
- Individually programmable daily routines
- Individually programmable cloud effects
- With five pre-configured profiles installed
- Control the lighting in your aquarium from anywhere in the world



HeliaLux Splitter

Adapter for operating up to two HeliaLux light units on the HeliaLux AppControl.



HeliaLux UniversalFit

Universal bracket for HeliaLux LED compatible with all aquariums.



EasyFeed

The automatic feeder to fit all JUWEL aquariums

- Up to two feedings per day may be programmed
- Adjustable feed quantity

SmartFeed 2.0

The comfortable automatic feeder for all JUWEL aquariums

- Up to three feeds per day
- Feed quantity dispensable in 8 levels
- Three feeding intervals can be selected (24/48/72h)
- Exchangeable screw conveyors for granulate and flake feeds
- Including feeding chamber extension
- USB port for continuous power supply



SmartFeed AppControl

Smart automatic feeder that can be controlled using the MyJUWEL app

- Unlimited number of feedings per day
- Feed quantity dispensable in 8 levels
- A push notification is sent when the fill level of the feed chamber is low
- The app controlled SmartFeed can be controlled from anywhere in the world
- Exchangeable screw conveyors for granulate and flake feeds

Digital Thermometer 4.0

Digital thermometer with large display, perfectly integrated

- Switchable unit (°C/°F)
- Perfectly integrated into the JUWEL design
- Suitable for freshwater and saltwater
- Accurate: $\pm 0.5^{\circ}\text{C}$
- Also suitable for aquariums from other manufacturers thanks to included suction cup



SBX Comfort Set

→ from Autumn 2026

Organisation set for structured storage

- Perfect organisation in the aquarium cabinet
- High-quality stainless steel
- Consisting of a shelf for food, hook rail and JUWEL towel with carabiner



JUWEL decoration concepts

For a greater effect of depth in the aquarium

Cliff

- The Cliff Dark decoration concept impresses with its natural brownish hue
- The Cliff Light is a naturalistic reproduction of bright, sand-coloured rock



Cliff Backgrounds



Cliff Filter Cover

Stone

- The Stone decoration concept is a naturalistic reproduction of a clay- and granite-coloured rock face



Stone Filter Cover



Stone Backgrounds



STR Background

STR

- Attractive bark structure

Conexo

Decoration adhesive

- For permanent attachment of Backgrounds



Poster Decor

Poster Backgrounds S, L, XL

- For all aquariums from 60 to 150 cm
- Two attractive motives on each poster



Poster 1 Front

Poster 3 Front

black


Poster 3 Back

white




Poster 4 Front

Poster 1 Back



Poster 2 Front

Poster 2 Back



Poster 4 Back



PosterFix

JUWEL PosterFix is an oil that will enhance the three-dimensional effect of your film backgrounds.

- Easy to handle
- Minimises reflection
- Can be removed without a problem
- Improves colour intensity



For further information about JUWEL Aquarium products and
JUWEL Aquarium dealers in your area, please visit

www.juwel-aquarium.com

JUWEL Aquarium AG & Co. KG

Karl-Göx-Straße 1
D-27356 Rotenburg/Wümme
Germany

Service-Hotline +49(0)4261/9379-32
Service-Fax +49(0)4261/9379-856
Service-Mail service@juwel-aquarium.de

® JUWEL, Trigon, Vision, Primo, Vio Cube , Rio, Lido, PrimoLux,
MultiLux, HeliaLux, NovoLux, HiLite, BioFlow, FilterGrid,
Eccoflow, JUWEL AquaClean, bioPad, bioCarb, Cirax, Nitrox,
Phorax, Carbox, Amoxax, UniversalFit, NovoLux DayControl,
HeliaLux, EccoSkim, SmartFeed, EasyFeed, EccoFlow

© JUWEL® Aquarium

© Apple and the Apple logo are trademarks of Apple Inc.,
registered in the U.S. and other countries.

Design by ooniyo, www.ooniyo.de 

Presented by:



Not responsible for typographical errors or misprints.

Subject to change without notice.

INT / 97130 / 2026

INT