

JUWEL®

Equipment

QuickStart SBX Comfort Set



Introduction

Thank you for choosing a JUWEL Aquarium product.

Our products represent over 50 years experience in the manufacturing of aquariums and their accessories applying most modern production techniques bringing together the JUWEL Aquarium system, which is both easy to use and simple to maintain.

Please read this instruction manual carefully and completely to make sure you have received all components before setting up the aquarium. Please observe the safety instructions and maintenance guidelines given in this manual.

This instruction manual has been carefully prepared to provide you with accurate and complete information. All efforts have been made to ensure that the information given is correct. However, we cannot accept responsibility for printing or other errors. Technical details are always approximate and are not warranted characteristics and may be subject to change without notice.



Safety Instructions

- Suitable for indoor use only.
- Intended for installation on suitable JUWEL aquarium cabinets only.
- Install the product only in accordance with the installation instructions.
- Before installation, check the door thickness and select a suitable position. Use the installation template to avoid drilling holes in the wrong position.
- Regularly check that the screws are securely tightened.
- Do not exceed the maximum load capacity of the shelf.
- Do not overload the hook rail.
- Do not store heavy or fragile objects.
- Do not use the product as a support or load-bearing device.
- Do not climb on or lean against the product.
- Do not continue to use damaged parts.
- Replace the product if there are visible signs of damage.
- Keep out of reach of children.
- Keep small parts and screws out of reach of children.
- Keep packaging material away from children (risk of suffocation).
- Take care during installation – risk of injury from sharp edges or tools.
- Use suitable tools for installation.
- Stainless steel surfaces may cause scratches if handled improperly.
- Avoid contact with aggressive cleaning agents.
- Clean only with a soft cloth and mild cleaning agent.
- Not suitable for permanent contact with water.
- Regularly check the product for damage and ensure that it is securely attached.
- Wash the towel only according to the care instructions.
- Do not use the carabiner for personal safety or fall protection.
- Use the carabiner only for attaching lightweight objects.
- Stainless steel is resistant to moisture but is not permanently corrosion-resistant in aggressive environments or when exposed to salt water.
- Before drilling, make sure that no technical components can be damaged.

Scope of Delivery

The following items are included:

- 1x hook rail with three hooks
- 1x JUWEL towel with carabiner
- 1x shelf
- 1x installation template
- 1x set of screws (4 pcs.)
- 1x QuickStart

Required Tools

For installation, you will need:


- a pencil
- a folding ruler or measuring tape
- a suitable screwdriver
- if required, a suitable tool for pre-drilling

TIPP Set Up Tutorial



Set Up Tutorial

[www.juwel-aquarium.com/
sbx_comfort_set_manual](http://www.juwel-aquarium.com/sbx_comfort_set_manual)



Our practical video tutorial guides you clearly through the installation of the SBX Comfort Set. It shows you how to install the shelf and hook rail easily and accurately in your JUWEL aquarium cabinet.

Follow the link or scan the QR code to access the tutorial directly.




Installation on Aquarium Cabinets with Two or Three Doors

For aquarium cabinets with two or three doors, install the hook rail on the inside of the left-hand door and the shelf on the inside of the right-hand door.

Installing the Hook Rail on the Left-Hand Door

Please proceed as follows:




1. Find your aquarium model in the table on the installation template.
2. Fold the installation template along the light blue lines.
3. Hang the installation template on the left-hand cabinet door.
4. Measure the distance specified for your aquarium model and position the installation template accordingly.
5. Mark the positions of the drill holes with a pencil.
6. Remove the installation template. If necessary, carefully pre-drill the marked holes. Position the hook rail at the marked points, secure it using the screws provided and check that it is firmly attached.



Installing the Shelf on the Right-Hand Door

Please proceed as follows:

1. Find your aquarium model in the table on the installation template.
2. Fold the installation template along the light blue lines.
3. Hang the installation template on the right-hand cabinet door.
4. Measure the distance specified for your aquarium model and position the installation template accordingly.
5. Mark the positions of the drill holes with a pencil.
6. Remove the installation template. If necessary, carefully pre-drill the marked holes. Position the shelf at the marked points, secure it using the screws provided and check that it is firmly attached.






Installation on Aquarium Cabinets with One Door

For aquarium cabinets with one door, install the hook rail and the shelf on the inside of the same cabinet door. Use the designated section of the installation template for each component.

Installing the Hook Rail

Please proceed as follows:





1. Find your aquarium model in the table on the installation template.
2. Fold the installation template along the light blue lines.
3. Hang the installation template for the hook rail on the cabinet door.
4. Measure the distance specified for your aquarium model and position the installation template accordingly.
5. Mark the positions of the drill holes with a pencil.
6. Remove the installation template. If necessary, carefully pre-drill the marked holes. Position the hook rail at the marked points, secure it using the screws provided and check that it is firmly attached.



Installing the Shelf

Please proceed as follows:

1. Find your aquarium model in the table on the installation template.
2. Fold the installation template along the light blue lines.
3. Hold the installation template for the shelf against the inside of the cabinet door.
4. Measure the distance specified for your aquarium model from the bottom edge of the door and position the installation template accordingly.
5. Mark the positions of the drill holes with a pencil.
6. Remove the installation template. If necessary, carefully pre-drill the marked holes. Position the shelf at the marked points, secure it using the screws provided and check that it is firmly attached.



Cleaning and Care

Clean the shelf and hook rail as required using a soft cloth and a mild cleaning agent. Do not use aggressive or abrasive cleaning agents.

Dry the stainless steel parts thoroughly after contact with moisture. Stainless steel is resistant to moisture but is not permanently corrosion-resistant in aggressive environments or when exposed to salt water.

Wash the JUWEL towel at a maximum temperature of 60 °C. Always remove the carabiner before washing.

Inspection and Maintenance

Regularly check that the screws are securely tightened and inspect the condition of the shelf, hook rail and carabiner.

Do not continue to use damaged parts. Replace the product or affected components if there are visible signs of damage.



Proper disposal (electrical waste)

The labelling on the product or on the accompanying literature declares that it must not be disposed of, at the end of its service life, together with household rubbish. Please dispose of this equipment separately from other waste, to protect the environment or public health from damage by unregulated waste disposal.

Recycle the equipment and support the sustained recycling of material resources.

Private users should contact the dealer who sold them the product or the responsible authorities, for a demonstration on how to recycle the equipment in an environmentally friendly way.



Guarantee

We guarantee the performance of the JUWEL-Aquarium product or its accessories to the purchaser for a period of 24 months from the date of purchase according to the following conditions:

§ 1 Extent of the guarantee

(1) This guarantee extends to the JUWEL-Aquarium product and its components excluding items subject to wear and tear such as T5 and T8 light tubes and filter media. It is limited to the product as such and does not cover damage to other property and/or individuals. In addition, the provisions of the product liability law apply. These provisions are not limited by the aforementioned arrangement.

(2) It is the prerogative of JUWEL-Aquarium to decide whether the guarantee is performed by means of repair or replacement. If neither repair nor replacement can ensure the performance of the JUWEL-Aquarium product the purchaser is entitled to demand a reduction in price or to return the product against repayment of the purchase price.

§ 2 Guarantee period and settlement procedure

(1) The guarantee period begins on the day of the purchase of the JUWEL Aquarium product from the retailer. Claims under this guarantee will not be honoured, if

- (a) the damage is caused as a result of improper use or maintenance or nonobservance of the instructions given in this manual
- (b) the product or its components have been maintained by persons or companies not authorised by the manufacturer to do so
- (c) the product or its components have been damaged by mechanical means of whatsoever kind, in particular broken glass

(2) All claims under this guarantee have to be notified to the retailer, from whom the aquarium has been purchased without delay, however, not longer than 2 weeks from the day of first occurrence of defects. Rights under the consumer protection laws will remain unaffected.

(3) Guarantee claims will only be accepted if the validity of the claim is supported by evidence of purchase of the JUWEL-Aquarium product. This declaration of guarantee is a translation only. In case of doubts the original

German language version prevails.

We reserve the right to make technical alterations.

© JUWEL AQUARIUM

® JUWEL, Trigon, Vision, Rekord, Rio, Lido, Vio, Primo, Korall, MonoLux, DuoLux, MultiLux, KoralLux, Violux, NovoLux, PrimoLux, SeaSkim, EccoSkim, AquaHeat, EasyFeed, SmartFeed, High-Lite, Warm-Lite, Colour-Lite, Day-Lite, Juwel Twin-Lite, HiFlex, SmartControl, Juwel EccoFlow, Bioflow, Cirax, Nitrox, Phorax, Carbox, BioPad, BioCarb, BioPlus, bioBoost, OxyPlus, Silexo, Conexo, HeliaLux AppControl, SmartFeed AppControl

JUWEL AQUARIUM AG & CO. KG

Karl-Göx-Straße 1 27356 Rotenburg/Wümme . GERMANY

Phone +49(0)42 61/93 79-32

Telefax +49(0)42 61/93 79-856

Service-Mail service@juwel-aquarium.de